#### Image-guided therapy and medical robotics tutorial using a LEGO Mindstorms NXT robot and 3D Slicer

# Assembly Instructions: Robot




Danielle F. Pace, B.CmpH Ron Kikinis, M.D. Nobuhiko Hata, Ph.D


Surgical Planning Laboratory, Brigham and Women's Hospital and Harvard Medical School

#### Before you start:


- Gives the length for axels (see the back cover of the LEGO Mindstorms NXT User Guide)
- Tells you how many pieces to use (12 in this case)
- Shows where two constructions snap together or areas to pay special attention to

















Alternate view:

























Alternate view:























Alternate view:


































18 Alternate view:













#### Back view:

























\* Don't snap any pieces together - simply rest the top portion onto the two vertical gray axels







\* Push the two horizontal black axels through, then add the orange pieces







0)0)0000







\* This piece goes under the black gear















Alternate view:
















Alternate view:





















































Alternate view:












































































































View from below:


\* Snap the two side pieces onto the top piece

















































0,0,0,0,0,0,0,0



























Ultrasonic sensor



Motor A
(Motor B is the corresponding motor on the other side)

**Motor C** 

- 1. Use two of the large (495 mm) black 6-wire cables to connect:
  - The ultrasonic sensor and input port 4
  - Motor C and output port C
- 2. Use two of the medium (368 mm) black 6-wire cables to connect:
  - Motor A and output port A
  - Motor B and output port B
- 3. Try not to tangle the cables so that the robot can move freely

# Before you use the robot:

- Check that all of the joints are securely fastened
- Check that all of the gears line up with each other